



AMINO METRICS

CERTIFICATE OF ANALYSIS

SELANK/SEMAX 20mg

Certificate #AM-2608-0207

Verify code 595b-1d57-b34d-9e1d-7ee5-6796-7aec-4d8d-677c-4802-e1f2-8155 (separate from the certificate #)

PRESENTED BY **AURA PEPTIDE**

ISSUED TO
ProjectPeppers.com

CLIENT REFERENCE
PP-VW6T29

DATE RECEIVED
2026-08-13

DATE ISSUED
2026-08-18

SOURCE
Undisclosed


COMPOUND TESTED
SELANK/SEMAX 20mg

STATUS
GENERATED

DATE TESTED
2026-08-18

ANALYST
AR


SAMPLE AS RECEIVED



SUMMARY OF RESULTS

TEST	RESULT	METHOD	SPECIFICATION	OUTCOME
Purity	99.89%	HPLC	$\geq 99\%$	PASS
SELANK Net Content	113.00% of label claim	Beer-Lambert Law (AUC)	90–115%	PASS
SEMAX Net Content	109.10% of label claim	Beer-Lambert Law (AUC)	90–115%	PASS

HPLC Purity Analysis



NOTES

Both peaks were observed at the appropriate retention times, consistent with the expected chromatographic profile under the analytical conditions used.

Physical & Quantity Checks

SELANK Net Content	11.30 mg (113.00%)	90–115%	PASS
SEMAX Net Content	10.91 mg (109.10%)	90–115%	PASS